

carbon, graphite and grafana

carbon

install carbon-cache service

```
apt-get install graphite-carbon
```

enable boot startup in `/etc/default/graphite-carbon`

enable `ENABLE_LOGROTATION` in `/etc/carbon/carbon.conf`

extend retentions

[/etc/carbon/storage-schemas.conf](#)

```
[carbon]
pattern = ^carbon\.
retentions = 60:90d

[default]
pattern = .*
retentions = 30s:7d,5m:30d,10m:1y,1d:10y
```

after changing `*schemas.conf` older `*wsp` has to be changed with `whisper-resize`

```
for i in `find /var/lib/graphite/whisper/ha/ -name "*wsp"`; do
  whisper-resize $i 30s:7d 5m:30d 10m:1y 1d:10y
done
```

graphite-web

web interface

```
apt-get install graphite-web
```

adjust `SECRET_KEY` (with random string) and `TIME_ZONE` in `/etc/graphite/local_settings.py`

```
# choose user and password
graphite-manage syncdb
chown _graphite:_graphite /var/lib/graphite/graphite.db
#python /usr/lib/python2.7/dist-packages/graphite/manage.py syncdb
```

apache

```
sudo apt-get install apache2 libapache2-mod-wsgi
```

```
sudo cp /usr/share/graphite-web/apache2-graphite.conf /etc/apache2/sites-available
sudo a2ensite apache2-graphite
```

nginx

```
apt install nginx uwsgi uwsgi-plugin-python
```

[/etc/uwsgi/apps-enabled/graphite.ini](#)

```
[uwsgi]

vacuum = true
master = true
processes = 2
pidfile = /tmp/uwsgi.pid
socket = /tmp/uwsgi.sock
chmod-socket = 666
gid = _graphite
uid = _graphite
chdir = /usr/share/graphite-web
wsgi-file = graphite.wsgi
pymodule-alias =
graphite.local_settings=/etc/graphite/local_settings.py
buffer-size = 65536
plugin = python
```

```
systemctl restart uwsgi
```

[/etc/nginx/sites-enabled/graphite](#)

```
upstream graphite {
    server unix:///tmp/uwsgi.sock;
}

server {
    listen 9002;
    server_name localhost;

    access_log /var/log/nginx/graphite-access.log;
    error_log /var/log/nginx/graphite-error.log;

    root /usr/share/graphite-web/static;
```

```
location / {
    add_header Access-Control-Allow-Origin "*";
    add_header Access-Control-Allow-Methods "GET, OPTIONS";
    add_header Access-Control-Allow-Headers "origin, authorization,
accept";

    uwsgi_pass graphite;
    include /etc/nginx/uwsgi_params;
}

location /media {
    # This makes static media available at the /media/ url. The
    # media will continue to be available during site downtime,
    # allowing you to use styles and images in your maintenance
page.
    alias /usr/lib/python2.7/dist-
packages/django/contrib/admin/media;
}
}
```

From:

<https://wiki.csgalileo.org/> - **Galileo Labs**

Permanent link:

<https://wiki.csgalileo.org/projects/internetofthings/graphite>

Last update: **2017/11/18 08:36**

