

influxdb

```
curl -sL https://repos.influxdata.com/influxdb.key | apt-key add -
source /etc/lsb-release
echo "deb https://repos.influxdata.com/${DISTRIB_ID,,} ${DISTRIB_CODENAME}
stable" | tee -a /etc/apt/sources.list
apt update
apt install influxdb
```

enable admin service in /etc/influxdb/influxdb.conf and

```
systemctl restart influxdb
```

create database

```
root@graphite:~# influx
Connected to http://localhost:8086 version 1.2.1
InfluxDB shell version: 1.2.1
> create database captive
> CREATE USER "captive" WITH PASSWORD 'captive' WITH ALL PRIVILEGES
> show databases
name: databases
name
----
_internal
captive
>
```

select

```
influx -database test -execute 'select * from "mctc.veicoli.get" order by
time desc limit 10'
```

test

```
curl -G http://carbon:8086/query --data-urlencode "q=SHOW DATABASES"
```

python test

```
from influxdb import InfluxDBClient
client = InfluxDBClient('carbon.csgalileo.org', 8086, username='captive',
password='captive', database='test')

json_body = [{"measurement": "browser", "tags": {"server":1, "server-
name":"galileo"}, "time": datetime.utcnow().strftime('%Y-%m-%dT%H:%M:%SZ'),
"fields": {"value":"ios"}}]
client.write_points(json_body)
```

```
client.query('select value from browser;')
```

retention

```
CREATE RETENTION POLICY "a_year" ON "test" DURATION 52w REPLICATION 1 SHARD
DURATION 168h
CREATE RETENTION POLICY "a_week" ON "test" DURATION 168h REPLICATION 1 SHARD
DURATION 24h DEFAULT
```

grafana

install


TODO

```
# per rasp
cd /tmp
wget https://github.com/fg2it/grafana-on-
raspberrypi/releases/download/v4.6.1/grafana_4.6.1_armhf.deb
dpkg -i grafana_4.6.1_armhf.deb
```

```
systemctl enable grafana-server
systemctl start grafana-server
```

Login to <http://localhost:3000> (admin/admin)

[add datasource](#)



The screenshot shows the 'Edit data source' interface in Grafana. At the top, there is a navigation bar with a gear icon and the text 'Data Sources'. Below this, the title 'Edit data source' is displayed. There are two tabs: 'Config' (selected) and 'Dashboards'. The configuration section includes:

- Name:** 'ha' with an information icon and a 'Default' checkbox.
- Type:** 'Graphite' with a dropdown arrow.
- Http settings:**
 - Url:** 'http://localhost:9002' with an information icon.
 - Access:** 'proxy' with a dropdown arrow and an information icon.
 - Http Auth:** 'Basic Auth' with a checkbox and 'With Credentials' with a checkbox.

A green success message box states: 'Success Data source is working'. At the bottom, there are three buttons: 'Save & Test' (green), 'Delete' (orange), and 'Cancel' (grey).

plugins

Add plugin in `/var/lib/grafana/plugins/` directory

piechart

```
cd /var/lib/grafana/plugins/  
git clone https://github.com/grafana/piechart-panel.git  
systemctl restart grafana-server.service
```

From:

<https://wiki.csgalileo.org/> - **Galileo Labs**

Permanent link:

<https://wiki.csgalileo.org/projects/internetofthings/influxdb>

Last update: **2019/09/24 11:07**

