inAppBrowser

backbutton

With these modifications the hardware back button works within pages in an InAppBrowser.

src/com/org/apache/corodova/inappbrowser/**InAppBrowser.java**

change

```
private void goBack() {
    if (this.inAppWebView.canGoBack()) {
        this.inAppWebView.goBack();
    }
}
```

to (note public method)

```
public void goBack() {
    if (this.inAppWebView.canGoBack()) {
        this.inAppWebView.goBack();
    }
}

public boolean canGoBack() {
    return this.inAppWebView.canGoBack();
}
```

src/com/org/apache/corodova/inappbrowser/**InAppBrowserDialog.java** change

```
public void onBackPressed () {
    if (this.inAppBrowser == null) {
        this.dismiss();
    } else {
        // better to go through the in inAppBrowser
        // because it does a clean up
        this.inAppBrowser.closeDialog();
    }
}
```

to

```
public void onBackPressed () {
    if (this.inAppBrowser == null) {
        this.dismiss();
    } else {
        if (this.inAppBrowser.canGoBack()) {
            this.inAppBrowser.goBack();
```

```
        } else {
            this.inAppBrowser.closeDialog();
        }
    }
}
```

From:

Permanent link:

https://wiki.csgalileo.org/tips/cordova/inappbrowser?rev=1424846044

Last update: **2015/02/25 07:34**