

gstream jetson

orin native

```
URL=rtsp://192.168.1.1:7447/IFnqNlmdfTQxD0WV
#URL=rtsp://192.168.2.35:7447/60e1a6425a20203019f719aa_1
gst-launch-1.0 rtspsrc location=$URL protocols=tcp latency=0 ! rtph264depay
! queue ! h264parse ! nvv4l2decoder ! nvvideoconvert ! autovideosink
```

deepstream amd64

```
URL=rtsp://192.168.2.35:7447/60e1a6425a20203019f719aa_1
```

nvv4l2h264enc

```
gst-launch-1.0 videotestsrc is-live=1 ! nvvidconv ! nvv4l2h264enc !
h264parse ! matroskamux ! filesink location=/tmp/out.mkv
```

gststreamer

debug

```
mkdir ./tmp
export GST_DEBUG_DUMP_DOT_DIR=./tmp/

# ... run pipeline

cd tmp
dot -Tpng x.xx.xx.xxxxxxxx-gst-launch.F00.dot > graph.png
```

show usb camera

```
gst-launch-1.0 v4l2src device=/dev/video0 ! xvimagesink
```

rtsp client

```
gst-launch-1.0 \
  rtspsrc location=rtsp://foscaml@192.168.2.14:554/videoMain !
  rtph264depay \
  ! h264parse ! avdec_h264 \
  ! videoconvert ! xvimagesink
```

rtsp save stream to test.mkv without h264 decoding

```
gst-launch-1.0 -e rtspsrc location=rtsp://flex/s0 protocols=tcp \
```

```
! rtph264depay ! h264parse ! matroskamux ! filesink location=test.mkv
```

hardware decode

```
F=videos/traffico01-1152x720-1610kb.mkv
gst-launch-1.0 filesrc location=$F ! matroskademux ! queue ! h264parse !
omxh264dec ! autovideoconvert ! xvimagesink
```

hardware encode

```
... ! videoconvert ! omxh264enc ! matroskamux ! filesink location=test.mkv
```

inspect pipeline properties

```
... ! fakesink -v | grep fake
```

ocam camera

[oCam-1CGN-U](#)

identify

```
v4l2-ctl --list-devices

v4l2-ctl --list-formats-ext -d /dev/video0
ioctl: VIDIOC_ENUM_FMT
  Type: Video Capture

  [0]: 'GRBG' (8-bit Bayer GRGR/BGBG)
    Size: Discrete 1280x960
      Interval: Discrete 0.033s (30.000 fps)
      Interval: Discrete 0.040s (25.000 fps)
      Interval: Discrete 0.067s (15.000 fps)
    Size: Discrete 1280x720
      Interval: Discrete 0.033s (30.000 fps)
      Interval: Discrete 0.040s (25.000 fps)
      Interval: Discrete 0.067s (15.000 fps)
    Size: Discrete 640x480
      Interval: Discrete 0.010s (100.000 fps)
      Interval: Discrete 0.011s (90.000 fps)
      Interval: Discrete 0.017s (60.000 fps)
      Interval: Discrete 0.020s (50.000 fps)
      Interval: Discrete 0.033s (30.000 fps)
      Interval: Discrete 0.040s (25.000 fps)
      Interval: Discrete 0.067s (15.000 fps)
    Size: Discrete 320x240
      Interval: Discrete 0.006s (180.000 fps)
      Interval: Discrete 0.007s (150.000 fps)
      Interval: Discrete 0.008s (120.000 fps)
```

```
Interval: Discrete 0.010s (100.000 fps)
Interval: Discrete 0.017s (60.000 fps)
Interval: Discrete 0.020s (50.000 fps)
```

```
v4l2-ctl -d /dev/video0 --list-ctrls
  white_balance_red_component 0x0098090e (int) : min=0 max=250 step=1
default=100 value=100
  white_balance_blue_component 0x0098090f (int) : min=0 max=250 step=1
default=100 value=100
  gain 0x00980913 (int) : min=0 max=255 step=1
default=64 value=64
  exposure_auto 0x009a0901 (menu) : min=0 max=3 default=1
value=1
  exposure_absolute 0x009a0902 (int) : min=1 max=1000 step=1
default=55 value=128
```

```
ffplay -f video4linux2 -s 640x480 -i /dev/video0
```

```
Stream #0:0: Video: rawvideo ([186]GR[8] / 0x85247BA), bayer_grbg8, 640x480,
245760 kb/s, 100 fps, 100 tbr, 1000k tbn, 1000k tbc
```

```
gst-launch-1.0 -v v4l2src device=/dev/video0 ! 'video/x-
bayer,format=grbg,width=640,height=480,framerate=100/1,colorimetry=bt601' !
bayer2rgb ! videoconvert ! xvimagesink
```

```
# width=640,height=480,framerate=100/1
# width=1280,height=960,framerate=30/1
```

save to file with h264 encode

```
gst-launch-1.0 -e v4l2src device=/dev/video0 ! 'video/x-
bayer,format=grbg,width=1280,height=960,framerate=30/1,colorimetry=bt601' !
bayer2rgb ! videoconvert ! x264enc ! matroskamux ! filesink
location=test.mkv
```

From:
<https://wiki.csgalileo.org/> - **Galileo Labs**

Permanent link:
<https://wiki.csgalileo.org/tips/gstreamer>

Last update: **2023/11/16 11:42**

