

## install

```
ubuntu@k0s-ctrl:~$ curl --proto '=https' --tlsv1.2 -sSf https://get.k0s.sh |  
sudo sh  
ubuntu@k0s-ctrl:~$ k0s version  
v1.31.1+k0s.1
```

Crea il servizio systemd:

```
ubuntu@k0s-ctrl:~$ sudo k0s install
```

## Bootstrap controller

Bootstrap del nodo controller (non single mode)

```
ubuntu@k0s-ctrl:~$ sudo mkdir -p /etc/k0s  
ubuntu@k0s-ctrl:~$ k0s config create | sudo tee /etc/k0s/k0s.yaml  
ubuntu@k0s-ctrl:~$ sudo k0s install controller -c /etc/k0s/k0s.yaml  
ubuntu@k0s-ctrl:~$ sudo systemctl start k0scontroller.service
```

Verifica:

```
ubuntu@k0s-ctrl:~$ sudo k0s status  
Version: v1.31.1+k0s.1  
Process ID: 7885  
Role: controller  
Workloads: false  
SingleNode: false
```

From:

<https://wiki.csgalileo.org/> - Galileo Labs

Permanent link:

<https://wiki.csgalileo.org/tips/k0s?rev=1730359249>

Last update: **2024/10/31 08:20**

