

# K80

```
pacman -S nvidia-470xx-dkms nvidia-470xx-settings nvidia-470xx-util
pacman -U https://archive.archlinux.org/packages/c/cuda/cuda-11.4.2-1-x86_64.pkg.tar.zst
```

nvidia-smi

```
+-----+
--+
| NVIDIA-SMI 470.256.02    Driver Version: 470.256.02    CUDA Version: 11.4
|
|-----+-----+-----+
--+
| GPU   Name                Persistence-M| Bus-Id        Disp.A | Volatile Uncorr.
ECC |
| Fan  Temp  Perf  Pwr:Usage/Cap|      Memory-Usage | GPU-Util  Compute
M. |
|                    |                    |                    |
M. |                    |                    |                    |
MIG
|=====+=====+=====+
==|
|  0  Tesla K80                Off  | 00000000:03:00.0 Off  |
0 |
| N/A   53C   P0     61W / 149W |    0MiB / 11441MiB |    0%
Default |
|                    |                    |                    |
N/A |
+-----+-----+-----+
--+
|  1  Tesla K80                Off  | 00000000:04:00.0 Off  |
0 |
| N/A   41C   P0     72W / 149W |    0MiB / 11441MiB |   86%
Default |
|                    |                    |                    |
N/A |
+-----+-----+-----+
--+
+-----+
--+
| Processes:
|
| GPU   GI    CI          PID    Type    Process name                        GPU
Memory |
|          ID    ID                                 Usage
|
|=====+=====+=====+
==|
| No running processes found
```

```
|  
+-----  
--+
```

```
# cat /proc/driver/nvidia/version  
NVRM version: NVIDIA UNIX x86_64 Kernel Module 470.256.02 Thu May 2  
14:37:44 UTC 2024  
GCC version: gcc version 14.1.1 20240522 (GCC)  
  
# nvcc -V  
nvcc: NVIDIA (R) Cuda compiler driver  
Copyright (c) 2005-2021 NVIDIA Corporation  
Built on Sun_Aug_15_21:14:11_PDT_2021  
Cuda compilation tools, release 11.4, V11.4.120  
Build cuda_11.4.r11.4/compiler.30300941_0
```

samples

```
git clone --depth 1 --branch v11.4.1 https://github.com/NVIDIA/cuda-  
samples.git /opt/cuda-samples  
cd /opt/cuda-samples  
cd Samples/deviceQuery/  
make
```

deviceQuery

```
cd /opt/cuda-samples/bin/x86_64/linux/release  
./deviceQuery  
  
./deviceQuery Starting...  
  
CUDA Device Query (Runtime API) version (CUDA static linking)  
  
Detected 2 CUDA Capable device(s)  
  
Device 0: "Tesla K80"  
  CUDA Driver Version / Runtime Version          11.4 / 11.4  
  CUDA Capability Major/Minor version number:    3.7  
  Total amount of global memory:                 11441 MBytes (11997020160  
bytes)  
  (013) Multiprocessors, (192) CUDA Cores/MP:    2496 CUDA Cores  
  GPU Max Clock rate:                           824 MHz (0.82 GHz)  
  Memory Clock rate:                             2505 Mhz  
  Memory Bus Width:                              384-bit  
  L2 Cache Size:                                 1572864 bytes  
  Maximum Texture Dimension Size (x,y,z)         1D=(65536), 2D=(65536,  
65536), 3D=(4096, 4096, 4096)  
  Maximum Layered 1D Texture Size, (num) layers 1D=(16384), 2048 layers  
  Maximum Layered 2D Texture Size, (num) layers 2D=(16384, 16384), 2048  
layers
```

```

Total amount of constant memory:          65536 bytes
Total amount of shared memory per block:  49152 bytes
Total shared memory per multiprocessor:   114688 bytes
Total number of registers available per block: 65536
Warp size:                               32
Maximum number of threads per multiprocessor: 2048
Maximum number of threads per block:      1024
Max dimension size of a thread block (x,y,z): (1024, 1024, 64)
Max dimension size of a grid size (x,y,z): (2147483647, 65535, 65535)
Maximum memory pitch:                    2147483647 bytes
Texture alignment:                       512 bytes
Concurrent copy and kernel execution:     Yes with 2 copy engine(s)
Run time limit on kernels:               No
Integrated GPU sharing Host Memory:       No
Support host page-locked memory mapping:  Yes
Alignment requirement for Surfaces:     Yes
Device has ECC support:                   Enabled
Device supports Unified Addressing (UVA): Yes
Device supports Managed Memory:           Yes
Device supports Compute Preemption:       No
Supports Cooperative Kernel Launch:       No
Supports MultiDevice Co-op Kernel Launch: No
Device PCI Domain ID / Bus ID / location ID: 0 / 3 / 0
Compute Mode:
  < Default (multiple host threads can use ::cudaSetDevice() with device
simultaneously) >

```

#### Device 1: "Tesla K80"

```

CUDA Driver Version / Runtime Version    11.4 / 11.4
CUDA Capability Major/Minor version number: 3.7
Total amount of global memory:           11441 MBytes (11997020160
bytes)
(013) Multiprocessors, (192) CUDA Cores/MP: 2496 CUDA Cores
GPU Max Clock rate:                      824 MHz (0.82 GHz)
Memory Clock rate:                       2505 Mhz
Memory Bus Width:                        384-bit
L2 Cache Size:                           1572864 bytes
Maximum Texture Dimension Size (x,y,z)    1D=(65536), 2D=(65536,
65536), 3D=(4096, 4096, 4096)
Maximum Layered 1D Texture Size, (num) layers 1D=(16384), 2048 layers
Maximum Layered 2D Texture Size, (num) layers 2D=(16384, 16384), 2048
layers
Total amount of constant memory:          65536 bytes
Total amount of shared memory per block:  49152 bytes
Total shared memory per multiprocessor:   114688 bytes
Total number of registers available per block: 65536
Warp size:                               32
Maximum number of threads per multiprocessor: 2048
Maximum number of threads per block:      1024
Max dimension size of a thread block (x,y,z): (1024, 1024, 64)
Max dimension size of a grid size (x,y,z): (2147483647, 65535, 65535)

```

```
Maximum memory pitch: 2147483647 bytes
Texture alignment: 512 bytes
Concurrent copy and kernel execution: Yes with 2 copy engine(s)
Run time limit on kernels: No
Integrated GPU sharing Host Memory: No
Support host page-locked memory mapping: Yes
Alignment requirement for Surfaces: Yes
Device has ECC support: Enabled
Device supports Unified Addressing (UVA): Yes
Device supports Managed Memory: Yes
Device supports Compute Preemption: No
Supports Cooperative Kernel Launch: No
Supports MultiDevice Co-op Kernel Launch: No
Device PCI Domain ID / Bus ID / location ID: 0 / 4 / 0
Compute Mode:
  < Default (multiple host threads can use ::cudaSetDevice() with device
simultaneously) >
> Peer access from Tesla K80 (GPU0) -> Tesla K80 (GPU1) : Yes
> Peer access from Tesla K80 (GPU1) -> Tesla K80 (GPU0) : Yes

deviceQuery, CUDA Driver = CUDART, CUDA Driver Version = 11.4, CUDA Runtime
Version = 11.4, NumDevs = 2
Result = PASS
```

From:  
<https://wiki.csgalileo.org/> - Galileo Labs

Permanent link:  
<https://wiki.csgalileo.org/tips/k80?rev=1721325645>

Last update: 2024/07/18 20:00

