


# Keycloak

- <https://www.keycloak.org/server/containers>

## LDAP



test

```
PASSWORD=XXX
ldapwhoami -H ldaps://iam.csgalileo.org:636 -D
uid=sscipioni,ou=users,dc=csgalileo,dc=org -x -w $PASSWORD
```

# radius

test

```
PASSWORD=xxx  
RADIUS_SECRET=xxx  
radtest -t pap sscipioni@galileo ${PASSWORD} localhost 0 ${RADIUS_SECRET}
```

# mikrotik

- 94.230.77.98 (user: galileo)

# dokuwiki

- <https://www.dokuwiki.org/plugin:oauthkeycloak>


Oauthkeycloak:

- Client ID: wiki.csgalileo.org
- OpenID Connect Auto Discovery URL:  
<https://iam.csgalileo.org/realms/galileo/.well-known/openid-configuration>

# gitea

- Client ID: gitea.csgalileo.org
- OpenID Connect Auto Discovery URL:  
<https://iam.csgalileo.org/realms/galileo/.well-known/openid-configuration>

# keycloak



### Gitea.csgalileo.org

[Settings](#) [Credentials](#) [Roles](#) [Client Scopes](#) [Installation](#)

**3**

Client ID

Name

Description

Enabled

Always Display in Console

Consent Required

Login Theme

Client Protocol

Access Type  **1**

Standard Flow Enabled

Implicit Flow Enabled

**2** SAVE

### Gitea.csgalileo.org

[Settings](#) [Credentials](#) [Roles](#) [Client Scopes](#) [Mappers](#) [Scope](#) [Installation](#)

Client Authenticator

Secret

Registration access token

**gitea**

Dashboard Issues Pull Requests Milestones Explore

Dashboard User Accounts Organizations Repositories Webhooks **Authentication Sources**

Edit Authentication Source

Authentication Type **OAuth2**

Authentication Name \*

OAuth2 Provider \* **OpenID Connect**

Client ID (Key) \*

Client Secret \*

Icon URL

OpenID Connect Auto Discovery URL \*

This Authentication Source is Activated

From:  
<https://wiki.csgalileo.org/> - Galileo Labs

Permanent link:  
<https://wiki.csgalileo.org/tips/keycloak?rev=1653715221>

Last update: **2022/05/28 07:20**

