


Keycloak IAM

- <https://www.keycloak.org/server/containers>

test

```
PASSWORD=XXX
curl -v --location --request POST
'https://iam.csgalileo.org/realms/galileo/protocol/openid-connect/token' \
--header 'Content-Type: application/x-www-form-urlencoded' --data-
urlencode 'client_id=admin-cli' \
--data-urlencode 'username=sscipioni' --data-urlencode
"password=${PASSWORD}" --data-urlencode 'grant_type=password'
```

LDAP



test

```
PASSWORD=XXX
ldapwhoami -H ldaps://iam.csgalileo.org:636 -D
uid=sscipioni,ou=users,dc=csgalileo,dc=org -x -w $PASSWORD
```

radius

test

```
PASSWORD=xxx
RADIUS_SECRET=xxx
radtest -t pap sscipioni@galileo ${PASSWORD} localhost 0 ${RADIUS_SECRET}
```

mikrotik

- 94.230.77.98 (user: galileo)

dokuwiki

- <https://www.dokuwiki.org/plugin:oauthkeycloak>


Oauthkeycloak:

- Client ID: wiki.csgalileo.org
- OpenID Connect Auto Discovery URL:
<https://iam.csgalileo.org/realm/galileo/.well-known/openid-configuration>

gitea

- Client ID: gitea.csgalileo.org
- OpenID Connect Auto Discovery URL:
<https://iam.csgalileo.org/realm/galileo/.well-known/openid-configuration>

keycloak



Gitea.csgalileo.org Delete

[Settings](#) [Credentials](#) [Roles](#) [Client Scopes](#) 3

[Installation](#)

Client ID ?	<input type="text" value="gitea.csgalileo.org"/>
Name ?	<input type="text"/>
Description ?	<input type="text"/>
Enabled ?	<input checked="" type="button" value="ON"/> <input type="button" value="OFF"/>
Always Display in Console ?	<input type="button" value="OFF"/> <input type="button" value="ON"/>
Consent Required ?	<input type="button" value="OFF"/> <input type="button" value="ON"/>
Login Theme ?	<input type="text"/>
Client Protocol ?	<input type="text" value="openid-connect"/>
Access Type ? 1	<input type="text" value="confidential"/>
Standard Flow Enabled ?	<input checked="" type="button" value="ON"/> <input type="button" value="OFF"/>
Implicit Flow Enabled ?	<input type="button" value="OFF"/> <input type="button" value="ON"/>

2 **SAVE**

Gitea.csgalileo.org Delete

[Settings](#) [Credentials](#) [Roles](#) [Client Scopes](#) [Mappers](#) [Scope](#)

[Installation](#)

Client Authenticator ?	<input type="text" value="Client Id and Secret"/>
Secret	<input style="background-color: red; color: black; border: 1px solid red; width: 200px; height: 20px; border-radius: 5px; margin-left: 10px;" type="text"/>
Registration access token ?	<input type="text"/>
	<input type="button" value="Regenerate Secret"/>
	<input type="button" value="Regenerate registration"/>

gitea

Dashboard Issues Pull Requests Milestones Explore

1 Authentication Sources

Edit Authentication Source

Authentication Type: OAuth2 2

Authentication Name: keycloak 3

OAuth2 Provider: OpenID Connect 4

Client ID (Key): gitea.csgalileo.org 5

Client Secret: 6

Icon URL:

OpenID Connect Auto Discovery URL: https://iam.csgalileo.org/realms/galileo/.well-known/openid-configuration 7

This Authentication Source is Activated

From:
<https://wiki.csgalileo.org/> - Galileo Labs

Permanent link:
<https://wiki.csgalileo.org/tips/keycloak?rev=1653890944>

Last update: **2022/05/30 08:09**

