

# OpenSpec

<https://dev.to/webdeveloperhyper/how-to-make-ai-follow-your-instructions-more-for-free-openspec-2c85>

## install

```
yay -S openspec
```

## add openspec to existing project

```
cd <project>
```

```
openspec init
```

from agent auto compile **openspec\project.md** with command

```
Please read openspec/project.md and help me fill out with details about my project, tech stack, and conventions.
```

## add new feature

### Proposal

```
/openspec:proposal load multiple svm models
```

file created

```
openspec/changes/  
├── load-multiple-svm-models  
│   ├── proposal.md  
│   ├── specs  
│   │   └── svm-anomaly-detection  
│   │       └── spec.md  
└── tasks.md
```

Proposal Structure:

- **proposal.md**: Explains why multiple models are needed (flexibility for different scenarios), what changes will be made, and the impact
- **tasks.md**: Detailed implementation checklist broken into 5 phases (design, configuration, processor modification, main function updates, and testing)
- **spec.md**: Specification deltas with both MODIFIED (existing SVM loading requirement) and

ADDED (new model configuration requirement) sections, including proper scenarios

eventually check status of proposals

```
openspec list      # Confirm the change folder exists
openspec validate load-multiple-svm-models
openspec show load-multiple-svm-models  # Review proposal, tasks, and spec
delta
```

## Apply

coding

```
/openspec:apply load-multiple-svm-models
```

...testing...

## Archive

After implementation and testing, archive the change. All of the checkboxes in the TODO list were checked, and files were moved to the archive folder.

```
#openspec archive load-multiple-svm-models --yes
openspec archive load-multiple-svm-models --skip-specs --yes
```

From:  
<https://wiki.csgalileo.org/> - **Galileo Labs**

Permanent link:  
<https://wiki.csgalileo.org/tips/openspec?rev=1762498251>

Last update: **2025/11/07 07:50**

