

# PYPI

## pip custom repo

~/.pip/pip.conf

```
[global]
trusted-host = pypi.csgalileo.org
extra-index-url = https://user:password@pypi.csgalileo.org/simple
```

## setuptools with custom repo

~/.pypirc

```
[distutils]
index-servers = pypi
                galileo

[pypi]
repository: http://pypi.python.org/pypi
username:
password:

[galileo]
repository: https://pypi.csgalileo.org
username:user
password:password
```

## PYPI repo with apache

### https

```
sudo openssl req -x509 -nodes -days 3650 -newkey rsa:2048 \
  -keyout /etc/apache2/ssl/pypi.csgalileo.org.key \
  -out /etc/apache2/ssl/pypi.csgalileo.o.pem
```

```
a2enmod ssl
```

/etc/apache2/sites-enabled/pypi.conf

```
<VirtualHost *:80>
    ServerName pypi.csgalileo.org
```

```
RewriteEngine On
RewriteCond %{HTTPS} off
RewriteRule (.*) https://%{HTTP_HOST}%{REQUEST_URI}
</VirtualHost>

<VirtualHost *:443>
  ServerName pypi.csgalileo.org
  DocumentRoot /var/www/pypi.csgalileo.org

  SSLEngine On
  SSLCertificateFile /etc/apache2/ssl/pypi.csgalileo.org.pem
  SSLCertificateKeyFile /etc/apache2/ssl/pypi.csgalileo.org.key

  <Directory /var/www/pypi.csgalileo.org/>
    AllowOverride None
    Options +Indexes
    IndexOptions SuppressColumnSorting
    IndexIgnore ..
    Order deny,allow
    Allow from all

    AuthType Basic
    AuthName "Galileo"
    AuthBasicProvider file
    AuthUserFile /etc/apache2/passwords_pypi
    Require valid-user
  </Directory>

  LogLevel warn
  ErrorLog /var/log/apache2/pypi-error.log
  CustomLog /var/log/apache2/pypi-access.log combined
</VirtualHost>
```

## Users

create

```
sudo htpasswd -c /etc/apache2/passwords_pypi <user>
```

add user or change password

```
sudo htpasswd /etc/apache2/passwords_pypi <user>
```

From:

<https://wiki.csgalileo.org/> - **Galileo Labs**

Permanent link:

<https://wiki.csgalileo.org/tips/pypi?rev=1451987008>

Last update: **2016/01/05 10:43**

