

Pyramid

classic

Environment

library

```
BASE=/lab/ztl
cd $BASE

virtualenv lib
. lib/bin/activate
pip install pyramid
```

library activation in active shell (for starting project and running)

```
. lib/bin/activate
```

start project **ztlbrain**

```
pcreate --scaffold alchemy ztlbrain
cd ztlbrain
python setup.py develop
```

initialize db

```
initialize_ztlbrain_db development.ini
```

run

```
pserve development.ini --reload
```

bower

Bower can help to install javascript client side libraries, like angularjs.

Install *pyramidbowerstatic* and add it to *setup.py* `pip install pyramidbowerstatic`

Install module (library)

```
bower install ui-bootstrap
```

aio

library

```
BASE=/lab/ztl
cd $BASE

virtualenv lib
. lib/bin/activate
pip install aiopyramid
```

library activation in active shell (for starting project and running)

```
. lib/bin/activate
```

start project **ztlbrain**

```
pcreate --scaffold aio_websocket ztlbrain
cd ztlbrain
python setup.py develop
```

initialize db

```
initialize_ztlbrain_db development.ini
```

run

```
gunicorn --paste development.ini
```

From:
<https://wiki.csgalileo.org/> - **Galileo Labs**

Permanent link:
<https://wiki.csgalileo.org/tips/pyramid?rev=1438680736>

Last update: **2015/08/04 11:32**

